

査読付き論文 (2000～)

- 1) Tsuda, A., H. Sugisaki and S. Kimura (2000) Mosaic horizontal distributions of three species of copepods in the subarctic Pacific during spring. *Mar. Biol.*, 137: 683-689
- 2) Shinada, A., T. Ikeda, S. Ban and A. Tsuda (2000) Seasonal changes in microzooplankton grazing on phytoplankton assemblages in the Oyashio region, western subarctic Pacific. *Plankton Biol. Ecol.*, 47: 85-92
- 3) Saito, H. and A. Tsuda (2000) Egg production and early development of large subarctic copepods *Neocalanus cristatus*, *N. plumchrus* and *N. flemingeri*. *Deep-Sea Res.*, 47: 2141-2158
- 4) Tsuda, A. H. Saito and H. Kasai (2001) Geographical variation of body size of *Neocalanus cristatus*, *N. plumchrus* and *N. flemingeri* in the subarctic Pacific and its marginal seas: Implication of the origin of large form *N. flemingeri* in Oyashio area. *J. Oceanogr.*, 57: 341-352
- 5) Tsuda, A. H. Saito and H. Kasai (2001) Life history strategies of subarctic copepods *Neocalanus flemingeri* and *N. plumchrus*, especially on lipid accumulation patterns. *Plankton Biol. Ecol.*, 48: 52-58
- 6) Nishikawa, J. and A. Tsuda (2001) Diel vertical migration and grazing of a pelagic tunicate, *Salpa thompsoni* in the Australian sector of the Southern Ocean. *Polar Biol.*, 24: 299-302
- 7) Kasai, H., Saito, H., Kashiwai, M., Taneda, T., Kusaka, A., Kawasaki, Y., Kono, T., Taguchi, S., and Tsuda, A. (2001) Seasonal and interannual variations in nutrients and plankton in the Oyashio region: A summary of a 10-years observation along the A-line. *Bull. Hokkaido Natl. Fish. Res. Inst.*, 65: 55-134.
- 8) Kishi, M.J., H. Motono, M. Kashiwai and A. Tsuda (2001) Ecological-physical coupled model with vertical migration of zooplankton in Northwestern Pacific. *J. Oceanogr.*, 57: 499-508
- 9) Nishikawa, J. and A. Tsuda (2001) Feeding of pelagic tunicate *Salpa thompsoni* on flagellates and size-fractionated chlorophyll particles. *Plankton Biol. Ecol.*, 48: 133-135
- 10) Shinada, A., T. Ikeda, S. Ban and A. Tsuda (2001) Seasonal dynamics of planktonic food chains in the Oyashio region, western subarctic Pacific. *J. Plankton Res.*, 23: 1237-1247
- 11) Yamada, Y., T. Ikeda and A. Tsuda (2002) Abundance, growth and life cycle of the mesopelagic amphipod *Primno abyssalis* (Hyperiidia: Phrosinidae) in the Oyashio region, western subarctic Pacific. *Mar. Biol.* 141: 333-341.

- 12) Suzuki, K., A. Tsuda, H. Kiyosawa, S. Takeda, J. Nishioka, M. Takahashi and C.S. Wong (2002) Grazing impact of microzooplankton on bloom formation by small-sized diatom in a mesocosm as estimated with pigment-specific dilution technique. *J. Exp. Mar. Biol. Ecol.*, 271; 99-120.
- 13) Saito, H., A. Tsuda and H. Kasai (2002) Nutrient and plankton dynamics in the Oyashio region of the western subarctic Pacific Ocean. *Deep-Sea Res. Part II*, 49: 5463-5486
- 14) Moku, M., A. Tsuda and K. Kawaguchi (2003) Spawning season and migration of the myctophid fish *Diaphus theta* in the western North Pacific. *Ichthyological Research*, 50: 52-58
- 15) Tsuda, A., S. Takeda, H. Saito, J. Nishioka, Y. Nojiri, I. Kudo, H. Kiyosawa, A. Shiimoto, K. Imai, T. Ono, A. Shimamoto, D. Tsumune, T. Yoshimura, T. Aono, A. Hinuma, M. Kinugasa, K. Suzuki, Y. Sohrin, Y. Noiri, H. Tani, Y. Deguchi, N. Tsurushima, H. Ogawa, K. Fukami, K. Kuma and T. Saino (2003) A mesoscale iron enrichment in the western subarctic Pacific induces large centric diatom bloom. *Science*, 300: 958-961
- 16) Kobari, T. A. Shinada and A. Tsuda (2003) Functional roles of interzonal migrating mesozooplankton in the western subarctic Pacific. *Prog. Oceanogr.*, 57: 279-298.
- 17) Saito, H. and A. Tsuda (2003) Influence of light intensity on diatom physiology and nutrient dynamics in the Oyashio region. *Prog. Oceanogr.*, 57: 251-263
- 18) Nishioka, J., S. Takeda, I. Kudo, D. Tsumune, T. Yoshimura, K. Kuma and A. Tsuda (2003) Size-fractionated iron distributions and iron-limitation process in the subarctic NW Pacific. *Geophysical. Res. Lett.*, 30: 958-961.
- 19) Kimura, R., O. Yamamura, Y. Ozeki and A. Tsuda (2003) Elemental analysis of otoliths of walleye pollock: A trial to discriminate the local stocks around Hokkaido, Japan. *Fish. Sci.*, 69: 1207-1215.
- 20) Harrison, P.J., A. Tsuda, H. Saito, F. Whitney and K. Tadokoro (2004) North Pacific east-west similarities and differences in nutrient and phytoplankton dynamics. *JO*, 60: 93-117.
- 21) Boyd, P.W. C. S. Law, C.S. Wong, Y. Nojiri, A. Tsuda, M. Lasseur, S. Takeda, R. Rivkin, P.J. Harrison, R. Strzepek, J. Gower, R. M. McKay, E. Abraham, M. Arychuk, J. Barwell-Clarke, W. Crawford, D. Crawford, M. Hale, K. Harada, K. Johnson, H. Kiyosawa, I. Kudo, A. Marchetti, W. Miller, J. Needoba, J. Nishioka, H. Ogawa, J. Page, M. Robert, H. Saito, A. Sastri, N. Sherry, T. Soutar, N. Sutherland, Y. Taira, F. Whitney, S.-K. E. Wong and T. Yoshimura. (2004) The decline and fate of an iron-induced subarctic phytoplankton bloom. *Nature*, 428, 549–553.

- 22) Yamada, Y., T. Ikeda and A. Tsuda (2004) Comparative life-history study on sympatric hyperiid amphipods (*Themisto pacifica* and *T. japonica*) in the Oyashio region, western North Pacific. *Mar. Biol.* 145: 515-527
- 23) 津田敦、横内克己、桑田晃、浅沼市男、足立久美子、市川忠史、廣田裕一、葛西広海、石田洋 (2004) 「衛星データを用いた海洋一次生産見積もりのための日本近海 Sea-truth データの集積」. *地球環境*, 2: 145-152.
- 24) Tsuda, A. H. Saito, and H. Kasai (2004) Life histories of *Eucalanus bungii* and *Neocalanus cristatus* (Calanoida: Copepoda) in the western subarctic Pacific. *Fisheries Oceanogr.*, 13(S1): 10-20.
- 25) Ito, S., Sugisaki, H., Tsuda, A, Yamamura, O. and Okuda, K (2004) Contributions of VENFISH program: mesozooplankton, pacific saury (*Cololabis saira*), and walleye pollock (*Theragra chalcogramma*) in the northwestern Pacific. *Fisheries Oceanogr.* 13(S1): 1-9.
- 26) Kuwata, A. and A. Tsuda (2005) Selection and viability after ingestion of vegetative cells, resting spores and resting cells of the marine diatom, *Chaetoceros pseudocurvisetus*, by two copepods. *J. Exp. Mar. Biol. Ecol.*, 322: 143-151
- 27) Tsuda, A., Saito, H., Nishioka, J. and Ono, T. (2005) Mesozooplankton responses to iron-fertilization in the western subarctic Pacific (SEEDS2001). *Prog. Oceanogr.*, 64/2-4 :237-251
- 28) Tsuda, A., H. Kiyosawa, A. Kuwata, M. Mochizuki, N. Shiga, H. Saito, S. Chiba, K., Imai, J. Nishioka and T. Ono (2005) Responses of diatoms to iron-enrichment (SEEDS) in the western subarctic Pacific, temporal and spatial comparisons. *Prog. Oceanogr.*, 64/2-4: 189-205.
- 29) Kinugasa, M., T. Ishita, Y. Sohrin, K. Okamura, S. Takeda, J. Nishioka and A. Tsuda (2005) Dynamics of trace metals during the subarctic Pacific iron experiment for ecosystem dynamics study (SEEDS2001). *Prog. Oceanogr.*, 64/2-4: 129-147.
- 30) Noiri, Y., I. Kudo, H. Kiyosawa J. Nishioka and A. Tsuda (2005) Iron and Temperature, two factors influencing phytoplankton species composition in the western subarctic Pacific. *Ocean. Prog. Oceanogr.*, 64/2-4: 149-166.
- 31) Tsumune, D., J. Nishioka, A. Shimamoto, S. Takeda and A. Tsuda (2005) Physical behavior of the iron fertilized patch by SF6 tracer release experiment. *Prog. Oceanogr.*, 64/2-4: 111-127.
- 32) Kudo, I. Y. Noiri, K. Imai, Y. Nojiri and A. Tsuda (2005) Primary Production and Nitrogenous nutrients assimilation dynamics during the Subarctic Pacific Iron Experiment for Ecosystem Dynamics Study (SEEDS). *Prog. Oceanogr.*, 64/2-4: 207-221.

- 33) Suzuki, K. A. Hinuma, H. Saito, H. Kiyosawa, H.B. Liu, T. Saino and A. Tsuda (2005) Response of phytoplankton and heterotrophic bacteria in the northwest subarctic Pacific to in situ iron fertilization as estimated by HPLC pigment analysis and flow cytometry. *Prog. Oceanogr.*, 64/2-4: 167-187.
- 34) Saito, H., K. Suzuki, A. Hinuma, T. Ota, K. Fukami, H. Kiyosawa, T. Saino and A. Tsuda (2005) Response of microzooplankton to in-situ iron fertilization in the western subarctic Pacific (SEEDS). *Prog. Oceanogr.*, 64/2-4: 223-236.
- 35) Aono, T. M. Yamada, I. Kudo, K. Imai, Y. Nojiri and A. Tsuda (2005) Export fluxes of POC estimated from $^{234}\text{Th}/^{238}\text{U}$ disequilibrium in the subarctic Pacific during the iron-enrichment experiment. *Prog. Oceanogr.*, 64/2-4: 263-282.
- 36) Ramaiah, N., S. Takeda, K. Furuya, T. Yoshimura, J. Nishioka, T. Aono, Y. Nojiri, K. Imai, I. Kudo, H. Saito and A. Tsuda (2005) Effect of iron enrichment on the dynamics of transparent exopolymer particles in the western subarctic Pacific. *Prog. Oceanogr.*, 64/2-4: 253-261.
- 37) Takeda, S. and A. Tsuda (2005) An in situ iron-enrichment experiment in the western subarctic Pacific (SEEDS): Introduction and summary. *Prog. Oceanogr.*, 64/2-4: 95-109.
- 38) deBaar, H., P.W. Boyd, K. Coale, M.R. Landry, A. Tsuda, P. Assmy, D.C.E. Bakker, Y. Bozec, R.T. Barber, M.A. Brezinski, K.O. Buesseler, M. Boye, P.L. Croot, F. Gervais, M.Y. Gorbunov, P.J. Harrison, W.T. Hiscock, P. Laan, C. Lancelot, C.S. Law, M. Lavasseur, A. Marchetti, F.J. Milerio, J. Nishioka, Y. Nojiri, T. van Oijen, U. Riebesell, M.J.A. Rijkenberg, H. Saito, S. Takeda, K.R. Timmermans, M.J.W. Veldhuis, A.M. Waite and C.S. Wong (2005) Synthesis of iron fertilization experiments: From the iron age in the age of enlightenment. *J. Geophys. Res.*, 110, C09S16, doi:10.1029/2004JC002601.
- 39) 津田敦・武田重信 (2005) 北太平洋における鉄散布実験 —プロジェクトの立ち上げと成果—, *日本生態学会誌*, 55: 514-519
- 40) Saito, H., T. Ota, K. Suzuki, J. Nishioka and A. Tsuda (2006) Role of heterotrophic dinoflagellate *Gyrodinium* sp. in the fate of an iron-enrichment induced diatom bloom. *Geophysical. Res. Lett.* 33, L09602, 10.1029/2005GL025366
- 41) Tsuda, A., H. Saito, J. Nishioka, T. Ono, Y. Noiri and I. Kudo (2006) Mesozooplankton response to iron enrichment during the diatom bloom and bloom decline in SERIES (NE Pacific). *Deep-Sea Res. II*, 53: 2281-2296
- 42) Marchetti, A., N.D. Sherry, H. Kiyosawa, A. Tsuda and P.J. Harrison (2006) Phytoplankton processes I: changes in biomass and community composition due to a mesoscale iron enrichment in the NE subarctic Pacific. *Deep-Sea Research II*. 53:

- 43) Saito, H., A. Tsuda, Y. Nojiri, J. Nishioka, S. Takeda, H. Kiyosawa, I. Kudo, Y. Noiri, T. Ono, Y. Taira, K. Suzuki, T. Yoshimura and P.W. Boyd (2006) Nutrients and phytoplankton dynamics during the stationary and declining phases of a phytoplankton bloom induced by iron-enrichment in the eastern subarctic Pacific. *Deep-Sea Research II*. 53: 2168-2181
- 44) Kudo, I., Y. Noiri, J. Nishioka, Y. Taira, H. Kiyosawa and A. Tsuda (2006) Phytoplankton community response to Fe and temperature gradient in the NE (SERIES) and NW (SEEDS) subarctic Pacific Ocean. *Deep-Sea Research II*. 53: 2201-2213.
- 45) Yoshimura, T. J. Nishioka, H. Saito, S. Takeda, A. Tsuda, M.L. Wells (2007) Distributions of particulate and dissolved organic and inorganic phosphorus in North Pacific surface waters *Mar. Chem.* 103: 112-121
- 46) Kishi, M.J., D.L. Eslinger, M. Kashiwai, B.A. Megrey, D.M. Ware, F.E. Werner, M. Aita-Noguchi, T. Azumaya, M. Fujii, S. Hashimoto, D. Huang, H. Iizumi, Y. Ishida, S. Kang, G.A. Kantakov, H.-c. Kim, K. Komatsu, V.V. Navrotsky, S.L. Smith, K. Tadokoro, A. Tsuda, O. Yamamura, Y. Yamanaka, K. Yokouchi, N. Yoshie, J. Zhang, Y.I. Zuenko, V.I. Zvansky, (2007) NEMURO - A lower trophic level model for the North Pacific marine ecosystem. *Ecological Modeling*, 202: 12-25
- 47) Boyd, P.W., T. Jickells, C.S. Law, S. Blain, E.A. Boyle, K.O. Buesseler, K.H. Coale, J.J. Cullen, H.J.W. de Baar, M. Follows, M. Harvey, C. Lancelot, M. Levasseur, N.P.J. Owens, R. Pollard, R.B. Rivkin, J. Sarmiento, V. Schoemann, V. Smetacek, S. Takeda, A. Tsuda, S. Turner, A.J. Watson, (2007) Mesoscale iron enrichment experiments 1993-2005: Synthesis and future direction. *Science*, 315: 612-617
- 48) Yokouchi, K., Tsuda, A., Kuwata, A., Kasai, H., Ichikawa, T., Hirota, Y., Adachi, K., Asanuma, I. and Ishida, H. (2007) Seasonal variations in primary production measured by ¹³C-spiked incubations around Japan. in *ELSEVIER OCEANOGRAPHY SERIES 73*, Global climate change and response of carbon cycle in the equatorial Pacific and Indian Oceans and adjacent landmasses. Eds by H. Kawahata and Y. Awaya, Elsevier, p 65-88.
- 49) Tsuda, A., S. Takeda, H. Saito, J. Nishioka, I. Kudo, Y. Nojiri, K. Suzuki, M. Uematsu, M.L. Wells, D. Tsumune, T. Yoshimura, T. Aono, T. Aramaki, W.P. Cochlan, M. Hayakawa, K. Imai, T. Isada, Y. Iwamoto, W.K. Johnson, S. Kameyama, S. Kato, H. Kiyosawa, Y. Kondo, M. Levasseur, R. Machida, I. Nagao, F. Nakagawa, T. Nakanishi, S. Nakatsuka, A. Narita, Y. Noiri, H. Obata, H. Ogawa, K. Oguma, T. Ono, T. Sakuragi, M. Sasakawa, M. Sato, A. Shimamoto, H. Takata, C.G. Trick, Y.Y.

- Watanabe, C.S. Wong, N. Yoshie, (2007) Evidence for the grazing hypothesis: Grazing reduces phytoplankton responses of the HNLC ecosystem to iron enrichment in the western subarctic Pacific (SEEDS II). *J. Oceanogr.*, 63: 983-994.
- 50) Nishioka, J., T. Ono, H. Saito, T. Nakatsuka, S. Takeda, T. Yoshimura, K. Suzuki, K. Kuma, S. Nakabayashi, A. Tsuda (2007) Iron supply to the western subarctic Pacific: Importance of iron export from the Sea of Okhotsk. *J. Geophysical. Res.* , 112, C10012, doi:10.1029/2006JC004055
- 51) Aoyama, M., S. Becker, M. Dai, H. Daimon, L. Gordon, H. Kasai, R. Kerouel, N. Kress, D. Masten, A. Murata, N. Nagai, H. Ogawa, H. Ota, H. Saito, K. Saito, T. Shimizu, H. Takano, A. Tsuda, K. Yokouchi and A. Youenou (2007) Recent comparability of oceanographic nutrient data: Results of a 2003 intercomparison exercise using reference materials. *Analytical Science*, 23: 1151-1154.
- 52) Sasakawa, M., U. Tsunogai, S. Kameyama, F. Nakagawa, Y. Nojiri, and A. Tsuda (2008) Carbon isotopic evidence for the origin of excess methane in subsurface seawater. *J. Geophysical. Res.*, 113: C03012, doi: 10.1029/2007JC004217
- 53) Kobari, T. D.K. Steinberg, A. Uyeda, A. Tsuda, M.W. Silver, and M. Kitamura (2008) Impacts of the ontogenetically migrating copepods to carbon flux in the western subarctic Pacific Ocean. *Deep-Sea Res.*, II, 55: 1648-1660.
- 54) Iwamoto, Y., Y. Narita, A. Tsuda and M. Uematsu (2009) Single particle analysis of oceanic suspended matter during the SEEDS II iron fertilization experiment. *Mar Chem.*, 113: 212-218.
- 55) Kameyama, S., U. Tsunogai, F. Nakagawa, M. Sasakawa, D.D. Komatsu, A. Ijiri, J. Yamaguchi, T. Horiguchi, H. Kawamura, A. Yamaguchi, A. Tsuda (2009) Enrichment of alkanes within a phytoplankton bloom during an in situ iron enrichment experiment in the western subarctic Pacific. *Mar. Chem.*, 115: 92-101
- 56) Higgins, J.L., I. Kudo, J. Nishioka, A. Tsuda, S.W. Wilhelm. (2009) The response of the virus community to the SEEDS II mesoscale iron fertilization. *Deep-Sea Res.* II, 56: 2788-2795.
- 57) Suzuki, K., H. Saito, T. Isada, A. Hattori, H. Kiyosawa, J. Nishioka, R. M.L. McKay, A. Kuwata, A. Tsuda (2009) Community structure and photosynthetic physiology of phytoplankton in the northwest subarctic Pacific during an in situ iron fertilization experiment (SEEDS II). *Deep-Sea Res.* II, 56, 2733-2744.
- 58) Tsuda, A., H. Saito, R.J. Machida, S. Shimode (2009) Meso- and microzooplankton responses to an in situ iron fertilization experiment (SEEDS-II) in the northwest subarctic Pacific. *Deep-Sea Res.* II, 56: 2767-2778.
- 59) Kataoka, T., K. Suzuki, M. Hayakawa, I. Kudo, S. Higashi, and A. Tsuda (2009)

Temporal changes in community composition of heterotrophic bacteria during in situ iron enrichment in the western subarctic Pacific (SEEDS-II). *Deep-Sea Res. II*, 56: 2779-2787.

- 60) Nishioka, J. S. Takeda, Y. Kondo, H. Obata, T. Doi, D. Tsumune, C.S. Wong, W.K. Johnson N. Sutherland and A. Tsuda (2009) Changes in iron concentrations and bio-availability during an open ocean mesoscale iron enrichment in the western subarctic Pacific, SEEDS II. *Deep-Sea Res. II*, 56: 2796-2809.
- 61) Hara, Y. H. Obata, T. Doi, Y. Hongo, T. Gamo, S. Takeda and A. Tsuda (2009) Rare earth elements in seawater during an iron-induced phytoplankton bloom of the western subarctic Pacific (SEEDS-II). *Deep-Sea Res. II*, 56: 2839-2851.
- 62) Saito, H., A. Tsuda Y. Nojiri, T. Aramaki, H. Ogawa, T. Yoshimura, K. Imai, I. Kudo, J. Nishioka, T. Ono, K. Suzuki and S. Takeda (2009) Biogeochemical cycling of N and Si during the mesoscale iron-enrichment experiment in the western subarctic Pacific (SEEDS-II). *Deep-Sea Res. II*, 56: 2852-2862.
- 63) Yoshimura, T., H. Ogawa, K. Imai, T. Aramaki, Y. Nojiri, J. Nishioka, A. Tsuda (2009) Dynamics and elemental stoichiometry of carbon, nitrogen, and phosphorus in particulate and dissolved organic pools during a phytoplankton bloom induced by in situ iron enrichment in the western subarctic Pacific (SEEDS-II). *Deep-Sea Res. II*, 56: 2863-2874.
- 64) Lizotte, M., M. Levasseur, I. Kudo, K. Suzuki, A. Tsuda, R.P. Kiene, and M.G. Scarratt (2009) Iron-induced alterations of bacterial DMSP metabolism in the western subarctic Pacific during SEEDS-II. *Deep-Sea Res. II*, 56: 2889-2898.
- 65) Nagao, I., S. Hashimoto, K. Suzuki, S. Toda, Y. Narita, A. Tsuda, H. Saito, I. Kudo, S. Kato, Y. Kajii, M. Uematsu (2009) Responses of DMS in the seawater and atmosphere to iron enrichment in the subarctic western North Pacific (SEEDS II). *Deep-Sea Res. II*, 56: 2899-2917.
- 66) Tsumune, D., J. Nishioka, A. Shimamoto, Y.W. Watanabe, T. Aramaki, Y. Nojiri, S. Takeda, A. Tsuda, T. Tsubono (2009) Physical behaviors of iron fertilized patch in SEEDS II. *Deep-Sea Res. II*, 56: 2948-2957.
- 67) Uematsu, M., A. Tsuda, M.L. Wells, H. Saito (2009) Introduction to subarctic iron enrichment for ecosystem dynamics study II (SEEDS II. *Deep-Sea Res. II*, 56: 2731-2732.
- 68) Kasai, H., Y. Nakano, T. Ono and A. Tsuda (2010) Seasonal change of oceanographic conditions and chlorophyll a vertical distribution in the southwestern Okhotsk Sea during the non-iced season. *JO*, 66: 13-26.
- 69) Shimode, S., Y. Hiroe, K. Hidaka, K. Takahashi and A. Tsuda (2009) Life history and

ontogenetic vertical migration of *Neocalanus gracilis* (Dana) in the western North Pacific. *Aquatic Biology*, 7: 295-306.

- 70) Kurihara, M.K., M. Kimura, Y. Iwamoto, Y. Narita, A. Ooki, Y.-J. Eum, A. Tsuda, K. Suzuki, Y. Tani, Y. Yokouchi, M. Uematsu, S. Hashimoto (2010) Distributions of short-lived iodocarbons and biogenic trace gases in the open ocean and atmosphere in the western North Pacific. *Mar. Chem.*, 118: 156-170.
- 71) Hasegawa, T., H. Kasai, T. Ono, A. Tsuda and H. Ogawa (2010) Dynamics of dissolved and particulate organic matter during the spring bloom in the Oyashio region of the western subarctic Pacific Ocean. *Appl. Environ. Microb.*, 60: 127-138.
- 72) Machida, J.R. and A. Tsuda (2010) Dissimilarity of species and forms of the planktonic *Neocalanus* copepods using mitochondrial COI, 12S, nuclear ITS, and 28S gene sequence. *PLOS One* 5(4): e10278. doi:10.1371/journal.pone.0010278
- 73) Konno, U., U. Tsunogai, D. D. Komatsu, S. Daita, F. Nakagawa, A. Tsuda, T. Matsui, Y.-J. Eum and K. Suzuki (2010) Significance of N₂ fixation in dissolved fractions of organic nitrogen. *Biogeosciences*, 7,2369-2377
- 74) Tsuda, A., K. Fukami, H. Kiyosawa, K. Suzuki, S. Takeda, J. Nishioka, M. Takahashi, K.W. Johnson, C. S. Wong (2010) Response of lower trophic organisms to nutrients input and effects on carbon budget: a mesocosm experiment. *Plankton and Benthos Research*, 5: 144-155
- 75) Ooki, A., A. Tsuda, S. Kameyama, S. Takeda, S. Itoh, T. Suga, A. Okubo, H. Tazoe, and Y. Yokouchi (2010) Measurements of methyl halides in surface seawater and marine boundary layer of Northwest Pacific. *J. Geophysical Res. Oceans* 115, C10013, doi:10.1029/2009JC005703
- 76) Kameyama, S., H. Tanimoto, S. Inomata, U. Tsunogai, A. Ooki, S. Takeda, H. Obata, A. Tsuda, M. Uematsu (2010) High-resolution measurement of multiple volatile organic compounds dissolved in seawater using equibrator inlet-proton transfer reaction-mass spectrometry (EI-PTR-MS). *Mar. Chem.*, 122: 59-73
- 77) Itoh, S., T. Saruwatari, H. Nishikawa, I. Yasuda, K. Komatsu, A. Tsuda, T. Setou, M. Shimizu (2011) Environmental variability and growth histories of larval Japanese sardine (*Sardinops melanostictus*) and Japanese anchovy (*Engraulis japonicus*) near the frontal area of the Kuroshio. *Fish. Oceanogr.*, 20, 114-124
- 78) Iwamoto, Y., K. Yumimoto, M. Toratani, A. Tsuda, K. Miura, I. Uno and M. Uematsu (2011) Increase of mineral dust particles in the surface waters of the northwestern North Pacific during an Asian dust event. *Geophysical Research Letter* 38 L01604, doi:10.1029/2010GL045906, 2011
- 79) Tada, Y., A. Taniguchi, I. Nagao, T. Miki, M. Uematsu, A. Tsuda, and K. Hamasaki

- (2011) Major phylogenetic groups of marine bacteria differ in growth response to natural phytoplankton blooms in the western North Pacific. *Applied and Environmental Microbiology*, 77: 4055-4065.
- 80) Nonomura, T, S. Nishida, A. Tsuda, I. Yasuda (2011) Morphological characters for practical identification of the copepodite stages of three sympatric *Calanus* species in the western North Pacific. *J. Plankton Res.*, 33: 1496-1509.
- 81) Shimode, S., K. Takahashi, A. Tsuda (2012) Life history of *Eucalanus californicus* Johnson (Copepoda: Clanoidea) in the northwestern Pacific Ocean. *Prog. Oceanogr.*, 96: 1-13.
- 82) Shimode, S, K. Takahashi, Y. Shimizu, T. Nonomura and A. Tsuda (2012) Distribution and life history of two planktonic copepods, *Rhincalanus nasutus* and *Rhincalanus rostrifrons*, in the northwestern Pacific Ocean. *Deep Sea Res. I*, 65 : 133-145.
- 83) Moore, C.M., M. M. Mills, K. R. Arrigo, I. Berman-Frank, L. Bopp, P. W. Boyd, E. D. Galbraith, R. J. Geider, C. Guieu, S. L. Jaccard, T. D. Jickells, J. La Roche, T. M. Lenton, N. M. Mahowald, E. Marañón, I. Marinov, J. K. Moore, T. Nakatsuka, A. Oschlies, M. A. Saito, T. F. Thingstad, A. Tsuda and O. Ulloa (2014) Processes and patterns of oceanic nutrient limitation. *Nature Geoscience* 10., DOI: 10.1038/NNGEO1765
- 84) Hirai, J., S. Shimode and A. Tsuda (2013) Species identification of calanoid copepods in the subtropical regions off the coast of Japan by using a new molecular marker ITS2-28S D1/D2. *J Plankton Res*, 35: 644-656.
- 85) Kameyama, S., S. Inomata, I. H. Yoshikawa, U. Tsunogai, A. Tsuda, M. Uematsu, M. Ishii, D. Sasano, K. Suzuki, Y. Nosaka (2013) Strong relationship between dimethyl sulfide and net community production in the western subarctic Pacific. *Geophysical Research Letters*, 40, 3986–3990
- 86) Tsuda, A. H. Saito, H. Kasai, (2014) Vertical distributions of large suspension-feeding copepods in the Oyashio region during their growing season. *J. Oceanogr.* 70:123–132.
- 87) Nosaka, Y., T. Isada, I. Kudo, H. Saito, H. Hattori, A. Tsuda and K. Suzuki, Light utilization efficiency of phytoplankton in the Western Subarctic Gyre of the North Pacific during summer. *J. Oceanogr.*, 70:91–103.
- 88) Itoh, H., J. Nishioka and A. Tsuda (2014) Community structure of mesozooplankton and population structure of *Limacina helicina* and *Clione limacina* limacina in the western part of the Okhotsk Sea in summer. *Prog. Oceanogr.* 126: 224-232.
- 89) Hirai, J., M. Kuriyama, T. Ichikawa, K. Hidaka and A. Tsuda, A metagenetic approach for revealing community structure of marine planktonic copepods.

Molecular Ecology Resources, (in press)

- 90) Yoshimura, T., J. Nishioka, H. Ogawa, K. Kuma, H. Saito, A. Tsuda (2014) Dissolved organic phosphorus production and decomposition during open ocean diatom blooms in the subarctic Pacific. *Marine Chemistry*, 165:46-54.